







Product Description

PC16 self-designed screw pump technology, support spraying cement mortar, gypsum, concrete and other building materials, greatly simplify the construction process, improve work efficiency, it is suitable for plastering of inner wall, outer wall and self-flow wall.







High Efficiency



Intelligence



Reduce Labor intensity

The use of mature worm pump technology, vibration screen can large particles stone, wear-resistant casters to adapt to the site, enough power, unfalling ash, high density, no hollow drum and craking

High-speed spraying, large torque, large flow without clogging, It can mortar, provide spray 3CM thick at a meters per hour.

Independent research, large pitch design suitable for market continuous and stable power, wear-resistant, durable time and 150 square and high pressure resistance, convey material and air together, save material and time

High degree automation, quickly use, 2 people can operate





Mode	PC16-Muti-Function Spraying Machine		
Voltage	380V	HopperCapacity	100L
Maximum orthopedic size	8MM	Flow	40L/min
AirCompressorPressure	5.5KW	Motor	7.5KW
Maximun Particle Size	6MM	TransportDistance	30M
Weight	200KG	Size	200*80*90CM
Maximum Working Pressure	50bar	After-sales Service	Warranty 1 Year
	Cement Mortar, Finished Mortar, Self-mixing Mortar, Lime Mortar,		
Scope of Application	Clay Motor, Light or Heavy Gypsum, Thick fire prevention, Vitrified		
	microbeads insulation particles、Elastic coating、 Real stone paint、		
	Water in water、 Water in sand		

EngineeringApplication







It supports spraying cement mortar, gypsum, concrete and other materials, in Sichuan Liangshan, Hebei Shijiazhuang, Jiangsu Suzhou and other construction site application, greatly simplifies the construction process, improves work efficiency and quality, which is suitable for internal wall, external wall plastering projects, the related construction quality has been highly recognized by the project department and construction team.